



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
ASSISTANT SECRETARY OF COMMERCE AND
COMMISSIONER OF PATENTS AND TRADEMARKS
P.O. Box 1450
Alexandria, VA 22313-1450

June 26, 2008

**SCHERING-PLOUGH CORPORATION
PATENT DEPARTMENT (K-6-1, 1990)
2000 GALLOPING HILL ROAD
KENILWORTH NJ 07033-0530**

Patent No. : 7,304,076 B2
Inventor(s) : Andrew W. Stamford, et al.
Issued : December 4, 2007
For **NEUROPEPTIDE Y Y5 RECEPTOR
ANTAGONISTS**
Doc. No. **CN01472KB**

To Whom It May Concern:

The Certificate of Correction issued on June 17, 2008, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

The certificate of correction issued on June 17, 2008 should not have issued for the reason that it is the practice to exclude words such as "A", "IMPROVED", "IMPROVEMENTS IN," "NEW", or "NOVEL" as the first word in the title of the invention. The request for certificate of correction should have been denied. Therefore, the title will be reinstated and certificate of correction inserting "NEW" in the beginning of the title will be vacated. A certificate of correction is being prepared to reinstate the title as printed in patent as issued.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on a *copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson
(703) 308-9390 ext. 111
For Mary F. Diggs, Supervisor
Decisions & Certificates of Correction Branch
(703) 305-8309 / 703-308-9390 ext. 125
cbn